

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	21	printer\$3 near5 (set\$4 configur\$4) near6 conflict\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/06 15:13
S2	2	"5500715".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 17:17
S3	1	S2 and (conflict\$4 and deconflict\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 17:31
S4	1	S2 and (stor\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 17:18
S5	1	S2 and (user near5 interfac\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/06 15:14
S6	0	S2 and (input\$4 near9 user near5 interfac\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/06 15:14
S7	1	S2 and (set\$4 near9 user near5 interfac\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/06 15:14
S8	1	S4 and S3 and S5 and S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 17:21
S9	1	S8 and chang\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 17:27

EAST Search History

S11	1	S2 and (chang\$3 same print\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 17:28
S12	67	conflict\$4 near5 process\$3 near5 rul\$3	USPAT	OR	OFF	2005/06/02 10:51
S13	2	"5500715".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 10:24
S14	1	S13 and (conflict\$4 and deconflict\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 10:24
S15	1	S13 and (stor\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 10:24
S16	1	S13 and (user near5 interfac\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 10:24
S17	1	S13 and (set\$4 near9 user near5 interfac\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 10:24
S18	1	S15 and S14 and S16 and S17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 10:24
S19	1	S18 and chang\$3 same print\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 10:24
S20	67	conflict\$4 near5 process\$3 near5 rul\$3	USPAT	OR	OFF	2005/06/02 10:52
S21	0	S20 and (complementary\$3 near5 rul\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/02 10:53

EAST Search History

S22	30	S20 and (addition\$5 near5 rul\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/02 10:54
S23	9	S22 and (print\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/02 10:55
S24	24	printer\$3 near5 (set\$4 configur\$4) near6 conflict\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 10:41
S25	30	printer\$3 near5 (set\$4 configur\$4 option\$3) near6 conflict\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 14:00
S26	16	S25 and (complement\$4 nea5 rul\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 10:53
S27	2	S25 and (complement\$4 near5 rul\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 10:53
S28	2	"5467434".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/13 14:00
S29	2	S28 and conflict\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/13 14:00
S30	30	printer\$3 near5 (set\$4 configur\$4 option\$3) near6 conflict\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 14:01

EAST Search History

S31	2	S29 and S30	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 14:01
S32	2	S29 and S30 and resol\$4 and rul\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 14:03
S33	1	S29 and S30 and resol\$4 and rul\$4 and avoid\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/17 10:43
S34	2	"6205441".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/17 14:51
S35	2	"6330552".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/17 14:52
S37	2	"5778354".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/17 14:52
S38	4489	printer\$3 near5 (option\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 10:57
S39	33	S38 and (avoid\$4 solv\$4 solution\$4 prevent\$4) near5 conflict\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 10:56
S40	30401	printer\$3 near5 (option\$3 set\$3 configur\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 11:19

EAST Search History

S41	727	S40 same (avoid\$3 prevent\$4 solv\$4 solution\$3) near5 (conflict\$4 problem\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 11:16
S42	7781	S40 and (avoid\$3 prevent\$4 solv\$4 solution\$3) near5 (conflict\$4 problem\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 11:17
S43	187	S40 and (generat\$3 creat\$3) near5 (avoid\$3 prevent\$4 solv\$4 solution\$3) near5 (conflict\$4 problem\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 11:18
S44	14	S40 and (generat\$3 creat\$3) near5 (avoid\$3 prevent\$4 solv\$4 solution\$3) near5 (conflict\$4 problem\$3) near5 (rul\$4 file\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 11:19
S45	30402	printer\$4 near5 (option\$3 set\$3 configur\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 14:29
S46	7777	S45 and (avoid\$3 prevent\$3 solv\$3 solution\$3) near5 (problem\$4 conflict\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 14:13
S47	8050	S45 and (avoid\$3 prevent\$3 solv\$3 solution\$3 resolv\$3) near5 (problem\$4 conflict\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 14:14
S48	16	S47 and ((generat\$4 creat\$4) near5 (rul\$4 fil\$3) near5 (solution\$3 resolv\$3 solv\$3 prevent\$4 avoid\$3) near5 (conflict\$4 problem\$3 discrepen\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 14:29

EAST Search History

S49	104	S47 and ((generat\$4 creat\$4) near5 (rul\$4 fil\$3) near5 (solution\$3 resolv\$3 solv\$3 prevent\$4 avoid\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 16:10
S50	0	S49 and (complementar\$4 near5 (rul\$4 fil\$3) near5 (solution\$3 resolv\$3 solv\$3 prevent\$4 avoid\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 14:23
S51	99	S49 and ((rul\$4 fil\$3) near5 (solution\$3 resolv\$3 solv\$3 prevent\$4 avoid\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 14:22
S52	0	S49 and (complementar\$4 near5 (rul\$4 fil\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 14:23
S53	30	printer\$3 near5 (set\$4 configur\$4 option\$3) near6 conflict\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 15:41
S54	2	printer\$3 near5 (set\$4 configur\$4 option\$3) near6 conflict\$4 near5 (avoid\$4 resolv\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 15:42
S55	7	printer\$3 near5 (set\$4 configur\$4 option\$3) near6 problem\$4 near5 (avoid\$4 resolv\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 15:43
S56	77	printer\$3 near5 (set\$4 configur\$4 option\$3) near6 rul\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 15:45
S57	161	"77" and rul\$3 near5 conflict\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 15:46

EAST Search History

S58	5	S56 and rul\$3 near5 conflict\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 17:42
S59	2	"6263345".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 15:50
S60	2	"5978559".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 15:53
S61	2	"5999945".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 15:54
S62	2	"6024505".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 15:55
S63	2	"6388687".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 15:57
S64	2	"6563519".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 15:58
S65	183	printer\$4 near5 (process\$3 dirver\$4 option\$3 configur\$3) near5 setup\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 15:59
S66	0	printer\$4 near5 (process\$3 dirver\$4 option\$3 configur\$3) near5 setup\$3 near5 conflict\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 16:00
S67	0	printer\$4 near5 (process\$3 dirver\$4 option\$3 configur\$3) near5 setup\$3 same conflict\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 16:00

EAST Search History

S68	10	printer\$4 near5 (process\$3 dirver\$4 option\$3 configur\$3) near5 setup\$3 and conflict\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 16:00
S69	6	(US-20020065807-\$).did. or (US-5467434-\$ or US-5500715-\$ or US-5978559-\$ or US-5999945-\$ or US-6804017-\$).did.	US-PGPUB; USPAT	OR	OFF	2005/06/21 16:44
S70	125	conflict\$4 near5 process\$4 near5 rul\$3	US-PGPUB; USPAT	OR	OFF	2005/06/21 16:47
S71	4456	(main\$4 cor\$3) near5 rul\$3	US-PGPUB; USPAT	OR	OFF	2005/06/21 16:45
S72	25	S70 and S71	US-PGPUB; USPAT	OR	OFF	2005/06/21 16:46
S73	4806	(main\$4 cor\$3 principal\$3) near5 rul\$3	US-PGPUB; USPAT	OR	OFF	2005/06/21 16:45
S74	26	S70 and S73	US-PGPUB; USPAT	OR	OFF	2005/06/21 16:46
S75	1119	complementar\$4 near5 rul\$3	US-PGPUB; USPAT	OR	OFF	2005/06/21 16:46
S76	2	S74 and S75	US-PGPUB; USPAT	OR	OFF	2005/06/21 16:46
S77	548	conflict\$4 near5 (process resolv\$4 prevent\$4 solution\$3 solv\$3) near5 rul\$3	US-PGPUB; USPAT	OR	OFF	2005/06/21 16:47
S78	581	conflict\$4 near5 (process\$3 resolv\$4 prevent\$4 solution\$3 solv\$3) near5 rul\$3	US-PGPUB; USPAT	OR	OFF	2005/06/21 16:48
S79	581	conflict\$4 near5 (process\$3 resolv\$4 prevent\$4 solution\$3 solv\$3) near5 rul\$3	US-PGPUB; USPAT	OR	OFF	2005/06/21 16:51
S80	3	S78 and S75	US-PGPUB; USPAT	OR	OFF	2005/06/21 16:48
S81	60	S79 and S73	US-PGPUB; USPAT	OR	OFF	2005/06/21 16:51
S82	9	S81 and printer\$3	US-PGPUB; USPAT	OR	OFF	2005/06/21 16:51
S83	77	printer\$3 near5 (set\$4 configur\$4 option\$3) near6 rul\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 17:42

EAST Search History

S84	5	S83 and rul\$3 near5 conflict\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/22 09:53
S85	12093	print\$3 near5 option\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 10:50
S86	1056	S85 and (stat\$4 near5 two)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 10:22
S87	0	S86 and (ivers\$4 near5 logic\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 10:22
S88	11	S86 and (invers\$4 near5 logic\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 10:33
S89	23	print\$3 near5 option\$3 near5 rul\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 10:33
S90	9174	(invers\$4 near5 logic\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 10:33
S91	0	S89 and S90	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 10:33

EAST Search History

S92	327	print\$3 near5 set\$3 near5 rul\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 10:34
S93	3	S90 and S92	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 10:34
S94	36	S85 and local\$3 near5 rul\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 10:42
S95	1	S94 and universal\$3 near5 rul\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 10:43
S96	1	S94 and general\$3 near5 rul\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 10:43
S97	603	print\$3 near5 option\$3 near5 menu	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 10:51
S98	7	S97 and (conflict\$4 near5 resolv\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 10:51
S99	0	"5500715.pn" and (option same print\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 13:44

EAST Search History

S10 0	0	"5500715.pn." and (option same print\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 13:44
S10 1	0	"5500715.pn." and (menu same print\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 13:45
S10 2	0	"5500715.pn." and (interface same option\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 13:45
S10 3	0	"5500715.pn." and (interface same menu\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 13:45
S10 4	0	"5500715.pn." and (interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 13:46
S10 5	0	"5500715.pn."	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 13:46
S10 6	2	"5500715".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 13:46
S10 7	0	"5500715"" .pn.14" and ((menu option) same interface\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 13:47

EAST Search History

S108	0	"5500715".pn.14" and (menu option)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 13:46
S109	1	S106 and ((menu option) same interface\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 14:06
S110	1	S106 and ((resol\$3 deconflict\$3) same conflict\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 13:53
S111	0	S106 and (chang\$4 same interface\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 14:06
S112	0	S106 and (updat\$4 same interface\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 14:06
S113	1	S106 and (modif\$4 same interface\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 14:06
S114	2	"5500715".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/11 11:16
S115	2	"5500715".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/11 11:16

EAST Search History

S11 6	2	printer\$3 near5 (option\$3 set\$3 configur\$3 rul\$3) near5 (complement\$4 solution\$3 updat\$4 chang\$3 modif\$3) near5 conflict\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 11:29
S11 7	1395	printer\$3 near5 (option\$3 set\$3 configur\$3 rul\$3) near5 (complement\$4 solution\$3 updat\$4 chang\$3 modif\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 11:26
S11 8	1	S117 and (invers\$3 near logic\$3) near5 state\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 11:27
S11 9	4	S117 and (invers\$3 near logic\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 11:28
S12 0	4	S117 and (conver\$3 near logic\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 11:28
S12 1	1395	printer\$3 near5 (option\$3 set\$3 configur\$3 rul\$3) near5 (complement\$4 solution\$3 updat\$4 chang\$3 modif\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 13:45
S12 2	9	S121 and (counter\$3 opposit\$3 contrar\$) near5 (rul\$3 solution\$3 complemt\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 11:35
S12 3	29	printer\$3 near5 (option\$3 set\$3 menu configur\$3 rul\$3) near5 (conflict\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 14:12

EAST Search History

S12 4	1	S123 and (invers\$3 opposit\$3) near5 rul\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 13:56
S12 5	35134	printer\$3 near5 (option\$3 set\$3 menu configur\$3 rul\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 15:22
S12 6	1	S125 and (generat\$3 creat\$4 develop\$3) near5 complement\$4 near5 invers\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 16:01
S12 7	1750	S125 and (generat\$3 creat\$4 develop\$3) near5 (complement\$4 solution\$4 resolution\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 14:03
S12 8	59107	(invers\$3 opposit\$4) near5 (function\$3 logic\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 15:16
S12 9	82	S127 and S128	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 14:10
S13 0	1	inferenc\$3 near5 generat\$3 near5 (invers\$3 opposit\$3) near5 (logic\$3 rul\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 14:12
S13 1	898	generat\$3 near5 (invers\$3 opposit\$3) near5 (logic\$3 rul\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 15:50

EAST Search History

S13 2	149	printer\$3 near5 (conflict\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 14:12
S13 3	1	S131 and S132	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 14:13
S13 4	35134	printer\$3 near5 (option\$3 set\$3 menu configur\$3 rul\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 14:14
S13 5	7	S131 and S134	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 14:13
S13 6	98	S131 and printer\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 15:20
S13 7	72	S136 and @ad<"20001212"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 14:28
S13 8	442	(set\$3 configur\$3 option\$2 menu control\$3) near5 stat\$3 near5 conflict\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/11 14:30
S13 9	42	S128 and S138	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 14:27

EAST Search History

S14 0	13	S139 and @ad<"20001212"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 14:31
S14 1	12168	(set\$3 configur\$3 option\$2 menu control\$3) near5 conflict\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/11 14:31
S14 2	406	S141 and S128	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/11 14:31
S14 3	72	S142 and printer\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 14:31
S14 4	30	S143 and @ad<"20001212"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 14:35
S14 5	4	(invers\$3 opposit\$4) near5 (function\$3 logic\$3) near5 complement\$4 near5 rul\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 15:23
S14 6	0	(invers\$3 opposit\$4) near5 (function\$3 logic\$3) near5 (solution\$3 resolv\$4) near5 rul\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 15:20
S14 7	1	(invers\$3 opposit\$4) near5 (function\$3 logic\$3) near5 (conflict\$4) near5 rul\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 15:20

EAST Search History

S14 8	0	(invers\$3 opposit\$4) near5 (function\$3 logic\$3) near5 (resolution\$4) near5 rul\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 15:20
S14 9	282	(invers\$3 opposit\$4) near5 (function\$3 logic\$3) near5 (solution\$3 resolv\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 15:20
S15 0	18	S149 and printer\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 16:01
S15 1	53	S125 and (resolv\$4 solution\$3 complement\$4) near5 rul\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 15:23
S15 2	2	S151 and (invers\$3 opposit\$4) near5 (function\$3 logic\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 15:24
S15 3	0	print\$3 near5 (set\$3 configur\$3 menu\$3) near5 discrepenc\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/11 15:33
S15 4	21	print\$3 near5 (set\$3 configur\$3 menu\$3) near5 discrepan\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/11 15:39
S15 5	2	"5467434".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/11 15:40

EAST Search History

S15 6	2	generat\$3 near5 (invers\$3 opposit\$3) near5 (logic\$3 rul\$3) near5 solution\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 15:51
S15 7	0	generat\$3 near5 (invers\$3 opposit\$3) near5 (logic\$3 rul\$3) near5 resolution\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 15:52
S15 8	22	generat\$3 near5 (invers\$3 opposit\$3) near5 (logic\$3 rul\$3) near5 complement\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 15:55
S15 9	4	generat\$3 near5 (invert\$3 opposit\$3) near5 logic\$3 near5 rul\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 15:59
S16 0	2830	generat\$3 near5 (invert\$3 opposit\$3) near5 logic\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 15:59
S16 1	2627	generat\$3 near5 (invert\$3) near5 logic\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 15:59
S16 2	2	S161 and (complement\$4 near5 rul\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 16:00
S16 3	189	(generat\$3 creat\$4 develop\$3) near5 complement\$4 near5 invers\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 16:03

EAST Search History

S16 4	32	S163 and printer\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 16:01
S16 5	25	(generat\$3 creat\$4 develop\$3) near5 complement\$4 near5 invers\$3 near5 logic\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 16:03
S16 6	2	"6922700".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 11:26
S16 7	13	printer\$3 near5 (rul\$3) near6 conflict\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/07 16:24
S16 8	33	print\$3 near5 (rul\$3) near6 conflict\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/07 16:23
S16 9	10922	print\$3 near5 manag\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/07 16:23
S17 0	22	S169 and (rul\$3) near6 conflict\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/07 16:24
S17 1	35	print\$3 near5 rul\$3 near5 (resolv\$3 solv\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/11 11:13
S17 2	0	print\$3 near5 rul\$3 near5 (conflict\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/11 11:14

EAST Search History

S17 3	31	print\$3 near5 rul\$3 near5 (conflict\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/11 11:16
S17 4	43	print\$3 near5 rul\$3 near5 (resolut\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/11 11:18
S17 5	12	print\$3 near5 (option\$3 menu\$2) near5 (conflict\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/11 11:19
S17 6	4	print\$3 near5 (menu option\$3 rul\$3) near5 (set\$3 configu\$3) near5 conflict\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 10:32
S17 7	9	print\$3 near5 (function\$3) near5 (set\$3 configu\$3) near5 conflict\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 10:30
S17 8	619	generat\$3 near5 print\$3 near5 (menu option\$3 rul\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 10:30
S17 9	5	S178 and print\$3 near5 conflict\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 10:37
S18 0	3	S178 and print\$3 near5 complement\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 10:32

EAST Search History

S18 1	14	print\$3 near5 (menu option\$3 rul\$3) near5 (set\$3 configu\$3) near5 manag\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 10:36
S18 2	6954	print\$3 near5 (job\$2) near5 (set\$3 configu\$3 control\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 10:36
S18 3	2037	S182 and print\$3 near5 (conflict\$3 prior\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 10:38
S18 4	83	S182 and print\$3 near5 (conflict\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 10:38
S18 5	34	S184 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 10:38
S18 6	398	markup near5 language near5 rule	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 14:44
S18 7	47	S186 and description\$3 near5 fil\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 14:44
S18 8	3	S187 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 14:44

EAST Search History

S189	5636	markup near5 language near5 file	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 14:44
S190	928	S189 and description\$3 near5 fil\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 14:45
S191	159	S190 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 14:45
S192	244	S189 same description\$3 near5 fil\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 14:45
S193	49	S192 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 14:45
S194	43	printer\$3 near5 (set\$4 configur\$4) near6 conflict\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/06 15:13
S195	242800	"1" and (user near5 interfac\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/06 15:14
S196	59465	"1" and (input\$4 near9 user near5 interfac\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/06 15:14
S197	28	S194 and (set\$4 near9 user near5 interfac\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/06 15:14

EAST Search History

S19 8	34	S194 and (user near5 interfac\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/06 15:14
S19 9	16	S194 and (input\$4 near9 user near5 interfac\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/06 15:15
S20 0	2	"5708798".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/06 16:16
S20 1	2	"6632035 ".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/06 16:16
S20 2	2	"6615346 ".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/06 16:17
S20 3	2	"6120197 ".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/06 16:17

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)Search: ☒ The ACM Digital Library ☐ The Guide**SEARCH**[Feedback](#) [Report a problem](#) [Satisfaction survey](#)Terms used **printer rule option**

Found 1 of 196,064

Sort results
byDisplay
results [Save results to a Binder](#) [Search Tips](#)☐ Open results in a new
window[Try an Advanced Search](#)
[Try this search in The ACM Guide](#)

Results 1 - 1 of 1

Relevance scale ☐ ☐ ☐ ☐ ☐**1** [Engineering broad-spectrum document software: lessons from ghostscript](#)

L. Peter Deutsch

November 2002 **Proceedings of the 2002 ACM symposium on Document engineering
DocEng '02****Publisher:** ACM PressFull text available: [pdf\(144.33 KB\)](#) Additional Information: [full citation](#), [abstract](#)

Almost 14 years after its first public release, Ghostscript is still a commercially thriving, actively evolving, nearly-Open Source PDL interpreter. It has successfully evolved from its original function as a PostScript Level 1 previewer running on MS-DOS on IBM-compatible PCs to cover new input PDLs (PDF, PCL5, and PCL XL), output formats (bitmaps, many printers, and low- and high-level PDLs, including PostScript-to-PDF "distilling"), development platforms (Unix, Linux, MS Windows, Macintosh, V ...

Results 1 - 1 of 1

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2007 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)Useful downloads: [Adobe Acrobat](#) [QuickTime](#) [Windows Media Player](#) [Real Player](#)

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)Search: ☒ The ACM Digital Library ☐ The Guide**SEARCH**

THE ACM DIGITAL LIBRARY

[Feedback](#) [Report a problem](#) [Satisfaction survey](#)Terms used **printer option conflict**

Found 1 of 196,064

Sort results
by[Save results to a Binder](#)[Try an Advanced Search](#)Display
results[Search Tips](#)[Try this search in The ACM Guide](#)☐ Open results in a new
window

Results 1 - 1 of 1

Relevance scale ☐ ☐ ☐ ☐ ☐

- 1 [From pencils and paste-ups to VDTs and the integrated page: Some thoughts on the state-of-the-art](#)



Karen E Andr sen

February 1986 **Proceedings of the 4th annual international conference on Systems documentation SIGDOC '85****Publisher:** ACM PressFull text available: pdf(350.26 KB) Additional Information: [full citation](#), [abstract](#), [index terms](#)

A few spring seasons ago one of my professors in graduate school was deep in a depression. In response to a departmental decision to install word processors, his desire to put pencil to paper had died and his passion for instilling a healthy respect for the English language in his students had waned. The following fall, however, he was a changed man - the depression had vanished. When I asked what had brought about this change, he said he had spent the summer in the "eighteenth centur ...

Results 1 - 1 of 1

The ACM Portal is published by the Association for Computing Machinery. Copyright   2007 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)Useful downloads: [Adobe Acrobat](#)[QuickTime](#)[Windows Media Player](#)[Real Player](#)



USPTO

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide

+abstract:printer +abstract:rule

SEARCH

THE ACM DIGITAL LIBRARY


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)
Terms used **printer rule**

Found 5 of 196,064

Sort results by

relevance

[Save results to a Binder](#)

Try an Advanced Search

Try this search in [The ACM Guide](#)

Display results

expanded form

[Search Tips](#)
☐ Open results in a new window

Results 1 - 5 of 5

Relevance scale ☐ ☐ ☐ ☐ ☐1 [Model-based matching and hinting of fonts](#)

Roger D. Hersch, Claude Betrisey

July 1991

ACM SIGGRAPH Computer Graphics , Proceedings of the 18th annual conference on Computer graphics and interactive techniques SIGGRAPH '91, Volume 25 Issue 4

Publisher: ACM Press

Full text available: pdf(839.96 KB)

 Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

In today's digital computers, phototypesetters and printers, typographic fonts are mainly given by their outline descriptions. Outline descriptions alone do not provide any information about character parts like stems serifs, shoulders, and bowls. But, in order to produce the best looking characters at a given size on a specific printer, non-linear operations must be applied to parts of the character shape. At low-resolution, grid-fitting of character outlines is required for generating nice and ...

Keywords: digital typography, grid-fitting automatic hinting, outline fonts, shape matching, topological model

2 [Engineering broad-spectrum document software: lessons from ghostscript](#)

L. Peter Deutsch

November 2002

Proceedings of the 2002 ACM symposium on Document engineering DocEng '02

Publisher: ACM Press

Full text available: pdf(144.33 KB)

 Additional Information: [full citation](#), [abstract](#)

Almost 14 years after its first public release, Ghostscript is still a commercially thriving, actively evolving, nearly-Open Source PDL interpreter. It has successfully evolved from its original function as a PostScript Level 1 previewer running on MS-DOS on IBM-compatible PCs to cover new input PDLs (PDF, PCL5, and PCL XL), output formats (bitmaps, many printers, and low- and high-level PDLs, including PostScript-to-PDF "distilling"), development platforms (Unix, Linux, MS Windows, Macintosh, V ...

3 [The design of Star's Records Processing: Data processing for non-computer professionals](#)

Robert Purvy, Jerry Farrell, Paul Klose

June 1982

ACM SIGOA Newsletter , Proceedings of the SIGOA conference on Office

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)Search: ☒ The ACM Digital Library ☐ The Guide**SEARCH**

Nothing Found

Your search for **+abstract:printer +abstract:rule +abstract:menu** did not return any results.

You may want to try an [Advanced Search](#) for additional options.

Please review the [Quick Tips](#) below or for more information see the [Search Tips](#).

Quick Tips

- Enter your search terms in lower case with a space between the terms.

sales offices

You can also enter a full question or concept in plain language.

Where are the sales offices?

- Capitalize proper nouns to search for specific people, places, or products.

John Colter, Netscape Navigator

- Enclose a phrase in double quotes to search for that exact phrase.

"museum of natural history" "museum of modern art"

- Narrow your searches by using a + if a search term must appear on a page.

museum +art

- Exclude pages by using a - if a search term must not appear on a page.

museum -Paris

Combine these techniques to create a specific search query. The better your description of the information you want, the more relevant your results will be.

museum +"natural history" dinosaur -Chicago

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2007 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)Search: ☒ The ACM Digital Library ☐ The Guide**SEARCH**

Nothing Found

Your search for **+abstract:printer +abstract:menu +abstract:conflict** did not return any results.

You may want to try an [Advanced Search](#) for additional options.

Please review the [Quick Tips](#) below or for more information see the [Search Tips](#).

Quick Tips

- Enter your search terms in lower case with a space between the terms.

sales offices

You can also enter a full question or concept in plain language.

Where are the sales offices?

- Capitalize proper nouns to search for specific people, places, or products.

John Colter, Netscape Navigator

- Enclose a phrase in double quotes to search for that exact phrase.

"museum of natural history" "museum of modern art"

- Narrow your searches by using a + if a search term must appear on a page.

museum +art

- Exclude pages by using a - if a search term must not appear on a page.

museum -Paris

Combine these techniques to create a specific search query. The better your description of the information you want, the more relevant your results will be.

museum +"natural history" dinosaur -Chicago

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2007 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)Search: ☒ The ACM Digital Library ☐ The Guide**SEARCH**

Nothing Found

Your search for **+abstract:printer +abstract:rule +abstract:set** did not return any results.

You may want to try an [Advanced Search](#) for additional options.

Please review the [Quick Tips](#) below or for more information see the [Search Tips](#).

Quick Tips

- Enter your search terms in lower case with a space between the terms.

sales offices

You can also enter a full question or concept in plain language.

Where are the sales offices?

- Capitalize proper nouns to search for specific people, places, or products.

John Colter, Netscape Navigator

- Enclose a phrase in double quotes to search for that exact phrase.

"museum of natural history" "museum of modern art"

- Narrow your searches by using a + if a search term must appear on a page.

museum +art

- Exclude pages by using a - if a search term must not appear on a page.

museum -Paris

Combine these techniques to create a specific search query. The better your description of the information you want, the more relevant your results will be.

museum +"natural history" dinosaur -Chicago

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2007 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

Search Results[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((printer <and> set <and> rule)<in>metadata)"

[e-mail](#)

Your search matched 2 of 1489021 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

 Search☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

view selected items[Select All](#) [Deselect All](#)

- ☐ 1. **Overcoming process delays with decision tree induction**
Evans, B.; Fisher, D.;
Expert, IEEE [see also IEEE Intelligent Systems and Their Applications]
Volume 9, Issue 1, Feb. 1994 Page(s):60 - 66
Digital Object Identifier 10.1109/64.295130
[AbstractPlus](#) | Full Text: [PDF\(700 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ 2. **Evaluation of printed circuit board assembly manufacturing systems using Petri nets**
Shiu, S.C.K.; Tsang, E.C.C.; Yeung, D.S.; Lam, M.B.;
Systems, Man, and Cybernetics, 1998. 1998 IEEE International Conference on
Volume 2, 11-14 Oct. 1998 Page(s):1506 - 1511 vol.2
Digital Object Identifier 10.1109/ICSMC.1998.728099
[AbstractPlus](#) | Full Text: [PDF\(432 KB\)](#) IEEE CNF
[Rights and Permissions](#)

Indexed by

Inspec

[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2006 IEEE -

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

Search Results**BROWSE****SEARCH****IEEE XPLORE GUIDE**

Results for "((printer <and> set <and> conflict)<in>metadata)"

e-mail

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)[New Search](#)**Modify Search**

Search

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance with search.

Indexed by

[Help](#) [Contact Us](#) [Privacy & Policy](#)

© Copyright 2006 IEEE – All Rights Reserved

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

Search Results**BROWSE****SEARCH****IEEE XPLORE GUIDE**

Results for "((printer <and> menu <and> conflict)<in>metadata)"

e-mail

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance with your search.

Indexed by

[Help](#) [Contact Us](#) [Privacy & Policy](#)

© Copyright 2006 IEEE – All Rights Reserved



Welcome United States Patent and Trademark Office

[Search Results](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((printer <and> option <and> conflict)<in>metadata)"

e-mail

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance with your search.

Indexed by
[Help](#) [Contact Us](#) [Privacy & Policy](#)

© Copyright 2006 IEEE – All rights reserved.

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

[Search Results](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((printer <and> set <and> rule <and> conflict)<in>metadata)"

e-mail

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance.

Indexed by
[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2006 IEEE –

[Sign in](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)[Advanced Search](#)
[Preferences](#)

WebResults 1 - 10 of about **657,000** for **printer option menu conflict rule** . (0.16 seconds)**Apparatus and method for determining printer option availability ...**

Using a mouse, keyboard, etc., the client selects from the **menu** of **options** ... 14A-14C
represent exemplary finishing **option rules** in the **printer** finishing ...
www.freepatentsonline.com/5467434.html - 53k - [Cached](#) - [Similar pages](#)

Release History

Fixed bug causing "Net **Conflict**" errors when using the F9 (single net DRC) key. ... Mouse
config from **menu** in schematic mode fixed; **Print option** disabled in ...
www.tsien.info/release_history.php - 72k - [Cached](#) - [Similar pages](#)

Smart Computing Article - Eliminate A Negative Outlook

Open the Tools **menu** and select the **Rules Wizard option**. ... Possible Cause: There is a
conflict between Microsoft Outlook and another email application ...
[www.smartcomputing.com/editorial/article.asp?article=articles/
archive/10807/26107/26107.asp&guid=](http://www.smartcomputing.com/editorial/article.asp?article=articles/archive/10807/26107/26107.asp&guid=) - 32k - [Cached](#) - [Similar pages](#)

Printing a page from this or any other web site

On the **menu** bar at the top of your browser, click on the File **menu**. Click on the **Print**
option, OR. bullet. Simply hold the Ctrl key down and press the P key ...
www.religioustolerance.org/print.htm - 49k - [Cached](#) - [Similar pages](#)

Print - Exchange, Outlook & SharePoint FAQs

How can I increase the limit on **rules** storage in Exchange 2007 from the 32KB ... Select
Desktop Search **Options** from the **options menu**, as Figure 3 shows. ...
www.windowsitpro.com/articles/print.cfm?articleid=94400 - [Similar pages](#)

[PDF] 2007 productionspecs

File Format: PDF/Adobe Acrobat - [View as HTML](#)
Choose file > **Print**. 3. Choose Acrobat Distiller from the **Printer Name menu**, enter other.
print options you want, and click **Print** or OK. ...
www.backstage.com/bso/images/pdf/Production_Specs_Page_1.pdf - [Similar pages](#)

[doc] Blackboard Communication Tools:

File Format: Microsoft Word - [View as HTML](#)
Using the **Options Menu** to Read, **Print**, Lock or Remove Posts ... Remember that **conflict**
is a natural byproduct of discussion and can be productive if managed ...
uhaweb.hartford.edu/FCLD/FCLD%20Handouts/BB6DiscussionBoard_Faculty.doc -
[Similar pages](#)

Vermont Systems, Recreation and Parks Software Development and ...

pointer Unlimited multi-level, user-defined touch screen **menu options** pointer **Option** to
display or **print** kitchen orders pointer Touch screen "specials" ...
www.vermontsystems.com/scripts/vsiweb.wsc/retrac.htm?xxpref=rt - 45k -
[Cached](#) - [Similar pages](#)

Policy Manager Concepts

What is a **Rule**; Disabling **Rules**; **Conflict** Checking. Authentication ... You can also access
this window from the File > Enforce Preview **menu option**, ...
www.enterasys.com/support/manuals/Pol_Mgr1_5_0-web/docs/p_cf_polman.html - 58k -
[Cached](#) - [Similar pages](#)

[Sign in](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

printer option menu conflict rule resolve

Search

[Advanced Search](#)
[Preferences](#)**Web**Results 1 - 10 of about 596,000 for **printer option menu conflict rule resolve**. (0.29 seconds)**Smart Computing Article - Eliminate A Negative Outlook**

Open the Tools **menu** and select the **Rules Wizard option**. ... Outlook can **resolve** this **conflict** without affecting the program that originally caused the ...

www.smartcomputing.com/editorial/article.asp?article=articles/archive/10807/26107/26107.asp&guid=-32k - [Cached](#) - [Similar pages](#)

[PDF] ConflictManager Reference

File Format: PDF/Adobe Acrobat - [View as HTML](#)

or use the ConflictManager reports to display and **print conflict** information. ... After you find conflicts, you use the **Resolve With Rules menu** command to ...

www.altiris.com/upload/conflictmanager_003.pdf - [Similar pages](#)

[PDF] ConflictManager Reference

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Try other ways to **resolve** the conflicts. To redo the **conflict** resolutions with **rules**:. Select **Conflicts menu > Resolve with Rules**. Select a different **rule** ...

www.altiris.com/upload/conflictmanager_006.pdf - [Similar pages](#)

The Resolve Reporter- Summer 2006

RESOLVE mediator Paul De Morgan helped PWG participants come up with a common ... of the public education **rule** by providing utilities with **menu options** for ...

www.resolv.org/reporter/0608.htm - 32k - [Cached](#) - [Similar pages](#)

New House 4 - Rules

The slot is then assigned according to the **rules** specified below. ... In order to **resolve** a squatting **conflict**, the squatter is assigned his/her present ...

scripts.mit.edu/~nh4/joomla/index.php?option=com_content&task=view&id=14&Itemid=29 - 23k - [Cached](#) - [Similar pages](#)

0672323044 > Using SysChk to Examine Your PC

Figure 3.8 SysChk's **print menu**. Select one of the available **options** ... get some type of error message from Windows or your software that a **conflict** exists, ...

www.sampublishing.com/articles/article.asp?p=131318&seqNum=3 - 22k - [Cached](#) - [Similar pages](#)

[doc] INTEGRATED PHARMACY SYSTEM

File Format: Microsoft Word - [View as HTML](#)

This document provides the business **rules** for the IPS that is necessary to ensure a ...

Sites utilizing the Label **Print Option** (LPO): The LPO has been ...

www.pec.ha.osd.mil/PDTS/PDTS_web/PDTSBusinessRules_%207.9.doc - [Similar pages](#)

[PDF] ProductCart Build To Order Conflict Management

File Format: PDF/Adobe Acrobat - [View as HTML](#)

the browser address field, replace "**menu.asp**" (or the current page name), with ... Please change one of the **rules** to **resolve** the **conflict**". ...

www.earlyimpact.com/pdf/ProductCart_BTO_CM_UserGuide.pdf - [Similar pages](#)

Updated TCP/IP printing options for Windows NT 4.0 SP3 and later

If the value does not already exist, on the Edit **menu**, click Add Value, and then type the following information:.. Value Name: <IP address of LPR printer ...

[Sign in](#)[Google](#)[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)[Advanced Search](#)
[Preferences](#)**Web**Results 1 - 10 of about **951,000** for **printer option menu conflict rule solution**. (0.16 seconds)

Smart Computing Article - Eliminate A Negative Outlook

Open the Tools **menu** and select the **Rules** Wizard **option**. ... Possible Cause: There is a **conflict** between Microsoft Outlook and another email application ...

[www.smartcomputing.com/editorial/article.asp?article=articles/](http://www.smartcomputing.com/editorial/article.asp?article=articles/archive/10807/26107/26107.asp&guid=-32k)

archive/10807/26107/26107.asp&guid=-32k - [Cached](#) - [Similar pages](#)

Smart Computing Article - 50 Problems & Solutions In Windows 2000

Solution: If you're printing to a network **printer**, verify that network connectivity ... 2000

Advanced **Options menu** and press ENTER to accept your selection. ...

[www.smartcomputing.com/editorial/article.asp?article=articles/](http://www.smartcomputing.com/editorial/article.asp?article=articles/archive/r0704/41r04/41r04.asp&guid=-57k)

archive/r0704/41r04/41r04.asp&guid=-57k - [Cached](#) - [Similar pages](#)

Apparatus and method for determining printer option availability ...

Using a mouse, keyboard, etc., the client selects from the **menu** of **options** ... 14A-14C

represent exemplary finishing **option rules** in the **printer** finishing ...

www.freepatentsonline.com/5467434.html - 53k - [Cached](#) - [Similar pages](#)

Print - Exchange, Outlook & SharePoint FAQs

Does Microsoft provide an in-place upgrade **solution** for Exchange Server 2003 to ... Select Desktop Search **Options** from the **options menu**, as Figure 3 shows. ...

www.windowsitpro.com/articles/print.cfm?articleid=94400 - [Similar pages](#)

FreeLists / mch / [mchFree] [MCH] Digest Number 1288

To correct a firewall **rule conflict** If the Fax Monitor requires access to the ... choose Properties, go to Start **Menu** tab, make sure the "Start **menu**" radio ...

www.freelists.org/archives/mch/02-2005/msg00050.html - 22k - [Cached](#) - [Similar pages](#)

Cool Solutions: How Dave Does It: Un-exploited Features of the ...

From the Tools **menu**, choose **Rules** to bring up the **Rules** dialog box. ... Leave the Appointment **Conflict option** set to it's default as well. ...

www.novell.com/cool/solutions/trench/9594.html - 28k - [Cached](#) - [Similar pages](#)

CHI 97: The Cognitive Ergonomics of Knowledge-Based Design Support ...

I think I would argue for removing the **option** to **print** the old documents. ... to tell that the "no gaps in **menu**" **rule** has been rejected for the Listen **Menu**. ...

acm.org/sigchi/chi97/proceedings/paper/trs.htm - 49k - [Cached](#) - [Similar pages](#)

Understanding and Troubleshooting Novell's Print Services

This **option** is accessed from the "Print Server Information **Menu**. ... Another soft spot can be third-party VAPs that **conflict** with the **print server VAP**. ...

support.novell.com/techcenter/articles/ana19920501.html - 44k - [Cached](#) - [Similar pages](#)

Policy Manager Concepts

What is a **Rule**; Disabling **Rules**; **Conflict** Checking. Authentication ... You can also access this window from the File > Enforce Preview **menu option**, ...

www.enterasys.com/support/manuals/Pol_Mgr1_5_0-web/docs/p_cf_polman.html - 58k -

[Cached](#) - [Similar pages](#)

Maryland Agricultural Conflict Resolution Service

You must have Javascript enabled to see this **menu**. ... All parties will retain their full set of

[Sign in](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

printer option menu conflict rule resolution

Search

[Advanced Search](#)
[Preferences](#)**Web**Results 1 - 10 of about 927,000 for **printer option menu conflict rule resolution**. (0.20 seconds)**Apparatus and method for determining printer option availability ...**Title:, Apparatus and method for determining **printer option** availability and representing **conflict resolution** in a combination of **print job** selections ...www.freepatentsonline.com/5467434.html - 53k - [Cached](#) - [Similar pages](#)**Interactive design terminal for custom imprinted articles - Patent ...**If the **resolution** of the **conflict** according to the design **rules** involves the ... If the user requests exit from the information **options menu** (**menu block** ...www.freepatentsonline.com/4873643.html - 101k - [Cached](#) - [Similar pages](#)**Release History**Fixed bug causing "Net **Conflict**" errors when using the F9 (single net DRC) key. ... Mouse config from **menu** in schematic mode fixed; **Print option** disabled in ...www.tsien.info/release_history.php - 72k - [Cached](#) - [Similar pages](#)**Smart Computing Article - Eliminate A Negative Outlook**Open the Tools **menu** and select the **Rules Wizard option**. ... Possible Cause: There is a **conflict** between Microsoft Outlook and another email application ...www.smartcomputing.com/editorial/article.asp?article=articles/archive/10807/26107/26107.asp&guid= - 32k - [Cached](#) - [Similar pages](#)**[PDF] 2007 productionspecs**File Format: PDF/Adobe Acrobat - [View as HTML](#)Choose file > **Print**. 3. Choose Acrobat Distiller from the **Printer Name menu**, enter other. **print options** you want, and click **Print** or OK. ...www.backstage.com/bsi/images/pdf/Production_Specs_Page_1.pdf - [Similar pages](#)**Maryland Agricultural Conflict Resolution Service**You must have Javascript enabled to see this **menu**. ... Maryland Agricultural **Conflict Resolution Service** is the official USDA-certified agricultural ...www.mda.state.md.us/acrs/index.php - 27k - [Cached](#) - [Similar pages](#)**Print - Exchange, Outlook & SharePoint FAQs**How can I increase the limit on **rules** storage in Exchange 2007 from the 32KB ... Select Desktop Search **Options** from the **options menu**, as Figure 3 shows. ...www.windowsitpro.com/articles/print.cfm?articleid=94400 - [Similar pages](#)**[PDF] ICEcap Upgrade Firewall Rule Set Error**File Format: PDF/Adobe Acrobat - [View as HTML](#)Repair **Option 1**: Involves identifying which specific Firewall **Rule** set has the ... Search for string ******CONFLICT** in output to see **resolution** of conflicts ...documents.iss.net/literature/ICEcap/FirewallTableCorrections.pdf - [Similar pages](#)**BYTE.com**Enterprise Oracle also enables the database developer to write custom **conflict-resolution rules**. Unlike the previous version of Personal Oracle 7, ...www.byte.com/art/9510/sec4/art3.htm - 29k - [Cached](#) - [Similar pages](#)**The Resolve Reporter- Summer 2006**"We also sought to improve the overall effectiveness of the public education **rule** by